

PHD™

Product Health Declaration

Xypex Chemical Corporation Xypex Megamix II


Xypex Megamix II is a one component polymer fibre reinforced mortar and can be either sprayed or trowel applied to a thickness of 3/8 - 2 in. (10 - 50 mm). Xypex Megamix II has been specifically formulated to produce superior bond, low shrinkage, chemical durability and high strength. The high-performance characteristics of Megamix II are enhanced by Xypex's unique crystalline waterproofing and protection technology. Advantages are excellent adhesion and bond to concrete substrates, resistance to chemical attack, low shrinkage, fibre reinforced, highly resistant to chloride diffusion, ready to use, just add water, vertical and overhead concrete repair; sprayable, non-toxic, no VOCs, approved for use with potable water.

Products/Ranges:	Xypex Megamix II
Product Stages Assessed:	Material inputs, Manufacturing, in-use
Product Type:	Concrete resurfacing and waterproofing
CSI Masterformat:	03 30 00
Licensed Site/s:	Richmond, BC, Canada
Licence Number:	XCC:XM01:2023:PH
Licence Date:	28th April 2023
Valid To:	28th April 2024
Standard:	GGT International v4.0
Screening Date:	16th March 2023
PHD URL:	https://www.globalgreentag.us/getfile/13202/phd.pdf



PHD Summary	Inventory Threshold:	Inventory Method:
Percentage Assessed: 100%	100ppm Product Level	Nested Materials

- GreenTag Banned List Compliant.
- Meets "Green Cleaning" requirements for Green Star®.
- GreenTag PHD recognized by WELL™ & LEED® Material Transparency & Optimization credits included below:
- Meets Green Star® 'Buildings v1.0' as Recognized for ~ Credit 6: Responsible Structure;
- Meets IWBI® WELL™ v1.0 as Recognized for ~ Feature 26 (Part 1); Feature 97 (Part 1); as a Compliant Technical Document (Audited) for ~ Feature 11 (Part 1); and, meets IWBI® WELL™ v2.0 as Recognized for ~ X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for ~ X07 (Part 2); X08 (Part 1).
- Meets USGBC LEED® v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.
- Highly unlikely worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.



Declared by:
Global GreenTag
International Pty Ltd



David Baggs
CEO & Program Director
Verified compliant with:
ISO 14024 & ISO 17065

1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risk associated with any certified products and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle, (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- substances used or created during the manufacturing process unless they remain in the final product; or
- substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH GoldHEALTH or PlatinumHEALTH) rating relates ONLY to GGT Standard Sustainability Assessment Criteria 3, and is declared separately to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels.

1.2 Preparing an PHD

GGT PHDs are prepared using Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and as an outcome of a successful Application for Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the GGT International Standard v4.0, Personal Products Standard v1.0, and Cleaning Products Standard v1.0 and above Program Rules.

1.3 External Peer Review

Every GGT PHD is independently peer reviewed by an external Consultant Toxicologist and Member of the Australian College of Toxicology & Risk Assessment.

2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients such as LEED v4.0 & v4.1, WELL v1 & v2, Living Building Challenge, Estidama etc., the following information is declared from audit:

Colour	Ingredient Name
Green	Ideal- Low No concerns- ingredient safe at any level based on current known science, % of the ingredient, and relevance to use context'
Yellow	Medium to Low Hazardous Ingredient with minor level of "Issue of Concern" depending on % of the ingredient, hazard level, and relevance to use context'
Orange	Moderate Hazardous ingredient with "Issue of Concern" or "Issue of Concern Minimised" depending on % of the ingredient, hazard level, and relevance to use context'
Red	Problematic (Red): Target for Phase Hazardous ingredient with 'Red Light" or "Red Light Minimised" concern depending on % of the ingredient, hazard level, and relevance to use context'
Dark Red	Very Problematic (Dark Red): Target for Phase Very Hazardous ingredient with 'Red Light Exclusion" concern depending on % of the ingredient, hazard level, and relevance to use context'
Grey	Uncategorised Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Petroleum, Parabens plus a wide range of compounds stipulated by cleaning/personal products standards.

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Portland Cement	65997-15-1	26-32%	H315(Skin Irrit. 2) H317 (Skin Irrit 1) H318(Eye Dam. 1) H335 (STOT RE 3)	OK				Portland cement is an irritant of the eyes and causes dermatitis. However, the factory is located in a country that has comprehensive OH&S Legislation and is ratified to the ILO convention on promotional framework for occupational safety and health. Therefore, the risk to end-users is low. Recycled Content: None Nanomaterials: No
SCM1	69012-64-2	1-5%	H373(STOT SE 2)	OK				This substance may cause respiratory irritation through inhalation. However, the factory is located in a country that has comprehensive OH&S Legislation and is ratified to the ILO convention on promotional framework for occupational safety and health. Therefore, the risk to end-users is low. Recycled Content: None Nanomaterials: No
SCM2	68131-74-8	3-7%	H314(Skin Corr.1A) H318(Eye Dam. 1) H335 (STOT RE 3) H350(Carc. 1A) H372(STOT RE 1)	OK				This substance can cause eye and skin irritation, it may cause cancer depends on duration and level of exposure. However, the factory is located in a country that has comprehensive OH&S Legislation and is ratified to the ILO convention on promotional framework for occupational safety and health. Therefore, the risk to end-users is low. Recycled Content: None Nanomaterials: No
Fine Aggregate	14808-60-7	60-70%	H373(STOT SE 2)	OK				This substance may cause respiratory irritation through inhalation. However, the factory is located in a country that has comprehensive OH&S Legislation and is ratified to the ILO convention on promotional framework for occupational safety and health. Therefore, the risk to end-users is low. Recycled Content: None Nanomaterials: No
Fiber	Concrete reinforcement	0-1%	None	OK				Recycled Content: None Nanomaterials: No
Calcium Hydroxide	1305-62-0	0.05-0.6%	H315(Skin Irrit. 2) H318(Eye Dam. 1) H335 (STOT RE 3)	OK				Portland cement is an irritant of the eyes and causes dermatitis. However, the factory is located in a country that has comprehensive OH&S Legislation and is ratified to the ILO convention on promotional framework for occupational safety and health. Therefore, the risk to end-users is low. Recycled Content: None Nanomaterials: No